

DAFTAR PUSTAKA

- Ahmed, A., M.S.A. Bakar, R.S. Sukri, M. Hussain. A. Farooq, S. Moogi, and Y.K. Park. 2020, Sawdust Pyrolysis from the Furniture Industry in an Auger Pyrolysis Reactor System for Biochar and Bio-Oil Production. *Energy Conversion and Management* Vol.226: 113502. <https://doi.org/10.1016/j.enconmant.2020.113502>.
- Anggraini, R., Suhirman, S., dan Yahdi, Y., 2015. Studi Keamanan Perbandingan Biochar, dan Tanah Dengan Indikator Cacing Serta Pengaruhnya Terhadap Perkecambahan dan Pertumbuhan Kacang Hijau (*Phaseolus Radintus*), FITKIAIN Mataram, Vol. 7, no.2, pp. 226-245.<https://biota.ac.id/index.php/jb/article/view/71>
- Burhenne, L., Damiani, M., Aicher, T. (2013). Effect of feedstock water content and pyrolysis temperature on the structure and reactivity of spruce wood char produced in fixed bed pyrolysis. *Fuel*, 107:836-847Chan, K. Y., & Xu. (2009). Biochar Nutrient Properties and their enhancement. In J. Lehmann & S. Joseph (Eds.), *Biochar for Environmental Management: Science and Technology* (pp. 67-84). Earthscan, <https://doi.org/10.4324/9781849770552>
- Endriani, Sunarti, dan Ajidirman. 2013. Pemanfaatan biochar cangkang kelapa sawit sebagai soil amandement ultisol Sungai Bahar Janbi Seri Sains. 15(1):39-46.<https://adoc.pub/queue/pemanfaatan-biochar-cangkang-kelapa-sawit-sebagai-soil-amand.html>
- Elviwirda. (n.d.). Peranan Biochar dalam Meningkatkan Kesuburan Tanah. Retrieved February 12, 2020, from http://nad.litbang.pertanian.go.id/ind/index.php/info_teknologi/1092-peranan-biochar-dalammeningkatkan-kesuburan-tanah
- Farid, Muhammad. 2020. “Pendampingan Pengolahan Limbah Kotoran Sapi Menjadi Pupuk Organik Kepada Peternak Sapi di Desa Pandanarum Kecamatan Tempeh Lunjang.” Khidmatuna; Jurnal Pengabdian Masyarakat 1 (1):5974. <https://doi.org/10.54471/khidmatunavlit.998>.
- Hussain, M., M. Farooq, A. Nawaz, A. M. Al-Sadi, Z. M. Solaiman, S. S. Alghamdi, U. Ammara, Y. S. Ok, and K. H. M. Siddique. 2017. “Biochar for Crop Production: Potential Benefits and Risks.” *Journal of Soils and Sediments* 17 (3): 685–716. <https://doi.org/10.1007/s11368-016-1360-2>.

Ippolito, JA. DA Laird, and WJ Busscher, 2012, Environmental benefits of biochar, *J. Environ. Qual.* 41: 967-972.<https://doi.org/10.2134/jeq2012.0151>

Kamunikan Thenison,. Harayanti Panca Nastiti dan Grace Maranatha. 2015. “Pengaruh Pemberian Limbah Biogas (Bio-Slurry) sebagai pupuk Cair Dengan Level Berbeda terhadap Kandungan Protein Kasar dan Serat Kasar Rumput Benggala (Panicum maximum).” *Jurnal Nukleus Peternakan* 2(2):99-192.

Kemas, R., Irawan, D., Zanaria, Y., and Adi, N., 2018. Pengaruh cara pembakaran pirolisis terhadap karakteristik dan efisiensi arang dan asap cair yang dihasilkan. Seminar Nasional Teknologi Terapan VI 2018, pp. 141-150. Universitas Muhammadiyah Metro Lampung. <http://digilibRARY.ump.ac.id/id/eprint/233>

Lacey, J.A., Aston, J.E., Westover, T.L., Cherry, R. S., & Thompson, D.N. (2015). Removal of introduced inorganic contont from chipped forest residues via air classification. *Fuel*, 160, 265-273. <https://doi.org/10.1016/j.fuel.2015.07.100>

Lano, L.A., Ledo, M.E.S., Nitsae, M., 2020, Pembuatan Arang Aktif dari Tempurung Siwalan (*Borassus flabellifer* L.) yang Diaktivasi dengan Kalium Hidroksida. BIOTA: Jurnal Ilmiah Ilmu-ilmu Hayati UAJY Vol. 5 (1): 8-15. <https://doi.org/10.24002/biota.v5i1.2948>

Lestari, K.D.F.L., Ratnani, R.D., Suwardiyono, Kholis, N., 2017. *Pengaruh Waktu dan Suhu Pembuatan Karbon Aktif dari Tempurung Kelapa sebagai Upaya Pemanfaatan Limbah dengan Suhu Tinggi Secara Pirolisis*. Inovasi Teknik Kimia(2):32-38. <https://publikasiilmiah.unwahas.ac.id/index.php/inteka/article/view/1739>

Liescahyani, I., Djatmiko, H., dan Sulistyaningsih, N., 2014, Pengaruh Kombinasi Bahan Baku dan Ukuran Partikel Biochar Terhadap Perubahan Sifat Fisika Pada Tanah Pasiran, *Berkala Ilmiah Pertanian*, Universitas Jember, Jember. <https://repository.unej.ac.id/bitstream/handle/123456789/69322/STI%20LIESCAHYANI.pdf?sequence=1&isAllowed=y>

Liuk, A., Daiketian, Xiang, Y. Dan Mo, H, (2016). *Biochar* Improver Growth of and Important Medicinal Plant (*Salvia miltiorrhiza* Bunge) and Inhibited its Cadmium Uptake. *Journal of plant Biology and Soil Health* Vol.3<https://www.avensonline.org/fulltextarticles/jpbsh-2331-8996-03-0011.html>

- Lehmann, J., and S. Joseph. 2015. "Biochar for Environmental Management: An Introduction." In Biochar for Environmental Management, edited by J. Lehman and S. Joseph, 1–13. London: Taylor and Francis.
- Mawardiana., Sufardi., dan E. Husein. 2013. Pengaruh Residu Biochar dan Pemupukan
- Maftu'ah E. & Dedi N. 2015. Potensi Berbagai Bahan Organik Rawa sebagai Sumber Biochar. *Prosiding Seminar Nasional Masy Biodiv Indon.* 1 (4): 776-781. <https://smujo.id/psnmbi/article/view/1167/1140>
- Nurida, N L. (2014), Potensi pemanfaatan *Biochar* Untuk Rehabilitas Lahan Kering di Indonesia *Jurnal Sumberdaya Lahan* Volume 8, No, 3.<https://www.neliti.com/id/publications/133664/potensi-pemanfaatan-biochar-untuk-rehabilitasi-lahan-kering-di-indonesia>
- Oni, B. A., O. Oziegbe, and O. O. Olawole. 2019. "Significance of Biochar Application to the Environment and Economy." *Annals of Agricultural Sciences* 64 (2): 222–36. <https://doi.org/10.1016/j.aoas.2019.12.006>.
- Okoroigwe, E. C., Saffron, C. M., dan Kamdem, P. D. (2014). Shell for Materials Reinforcement and Water Treatment. *Journal of Chemical Engineering and Materials.* Vol. 5, No. 1.<https://academicjournals.org/journal/JCEMS/how-to-cite-article/D07831944426>
- Purbacarka, F.H, Ratanani, R., Hartati, I., (2017). Uji Karakteristik Karbon Aktif Dari Limbah Arang Boiler Dengan Variabel Jenis Kayu Dan Suhu Karbonisasi.<https://publikasiilmiah.unwahas.ac.id/index.php/inteka/article/download/3397/3155>
- Rafiq, M.K., Bachmam, R.T., Rafiq, M.T., Shang Z., Joseph, S., & Long, R. L. (2016). Influence of pyrolysis temperature on physico-chemical properties of com stover (zea mays 1.) *Biochar and feasibility for carbon capture and energy balance.* PLoS ONE, 11(6), 1-17. <https://doi.org/10.1371/journal.pone.0156894>
- Rosita. 2013. Pendugaan Biomassa Karbon Seressah dan Tanah pada Hutan Tanaman Meranti Merah (*Shorea leprosul Miq*) Sistem TPTII di Areal IUPHHK PT, Suka Jaya Makmur Kabupaten Ketapang Pontianak: Fakultas Kehutanan UNTAN.<https://jurnal.untan.ac.id/index.php/jmfkh/article/view/3711>

Satriawan B.D and E. Handayanto. 2015. Effects of Biochar and Crop Residues Application on Chemical Properties of aDegraded soil of South Malang, and P Uptake by Maize. Juornal of Degraded Andmining Lands, 2(2): 271-281.<https://jdmlm.ub.ac.id/index.php/jdmlm/article/view/105>

Schnell, RW, DM Vietor, TL Provin, CL Munster, and S Capareda. 2011. Capaty of biochar application to maintain energy crop productivity: Soil chemistry, sorghum growth, and runoff water quqlity effects. Jurnal of Enviromental Quality. 41:1044-1051.<https://www.researchgate.net/publication/228102874>

Setyawan, M.N., Wardani, S., and Kusumastuti, E., 2018. Arang kulit kacang tanah teraktivasi h₃po₄ sebagai absorben ion logam Cu (II) dan diimobilisasi di alambababeton. *Indonesian Journal of Chemical Science*, 7(3),pp.262-269.<https://proceeding.isas.or.id/index.php/sentrinov/article/view/450>

Siahaan,S., Hutapea, M., & Hasibuan, R, (2013). Penentuan kondisi optimum suhu dan waktu karbonasi pada pembuatan arang dari sekam padi. *Jurnal Teknik Kimia USU*,2(1),26-30.<https://talenta.usu.ac.id/jtk/article/view/1423>

Siringoringo H.H., dan Siregar C.A., 2011, Pengaruh Aplikasi Arang Terhadap Pertumbuhan Awal, Micheliamontana Blome dan Perubahan Sifat Kesuburan Tanah Pada Tipe Tanah Latosol. *Jurnal Penelitian Hutan dan Konservasi Alam*, vol. 8, no.1, pp. 65-85. <http://ejournal.forda-mof.org/ejournal-litbang/index.php/JPHKA/article/view/1040>

Smebye, A.B., Sparrevik M., Schmidt, H.P., Cornelissen, G., 2017, Life-Cycle Assessment of Biochar, Production System in Tropical Rural Areas: Comparing Flame Curtain Kilne to Other, Production Methods. *Journal Biomass and Bioenergy*, vol.101,pp.3545. <https://biochar.international/guides/scientific-articles-published-in-peer-reviewed-journals/>

Solaiman, Z.M and H.M.Anawar. 2015. Aplication of biochars for Constraints: Challenges and solution. *Pedospere*, 25(5):631-638.<https://ttu-ir.tdl.org/bitstreams/8b389421-cb58-42da-a2f4-99f2a6e7cb4b/download>

Tambunan, S., E. Handayanto dan B. Siswanto. 2014. Pegaruh aplikasih bahan organik segar dan Biochar terhadap ketersedian P dalam tanah di Lahan Kering Malang Selatan. *Jurnal Tanah dan Sumber daya Lahan* 1(1):89-98. <https://www.scribd.com/document/570726548/ArtikelJTS2014-04>

Wibowo, S. W., Syafii, W., dan G. Pari. (2010). Karakteristik arang aktif tempurung biji Nyamplung. Jurnal Penelitian Hasil Hutan, 28, 43-54.<https://journal.unilak.ac.id/index.php/jip/>

Zaman, K. K., Balasundram, V., Ibrahim, N., Samsudin, M. D. M., Kasmani, R. M., Hamid, M. K. A., & Hasbullah, H. (2018). Effect of particle size and temperature on pyrolysis of palm kernel shell. *International Journal of Engineering and Technology(UAE)*, 7(4); 118124. <https://doi.org/10.14419/ijet.v7i4.35.22339>.

Zhu X. Chen B, Zhu L, & Baoshan X. 2017. A Review : Effect and Mechanisms of Biochar-Microbe Interactions in Soil Improvement and Pollution Remediation. Environmental Pollution (227):98 -115.<https://sci-hub.se/10.1016/j.envpol.2017.04.032>